

# LED SMART BULB



Light&Voice Sensor



Radar Motion Sensor



PIR Sensor



## Operating mode




1. During the day, people and cars pass by, and the lights will not light up.



2. At night, people enter the detection area and the lights automatically light up.



3. The person moves in the detection area until the person leaves, the light continues to light up



4. After the person leaves the sensing range for 30-45 seconds, it automatically goes out.


| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material | 光效<br>lumens/W | 显色<br>Ra | 色温<br>Color temperature |
|-------------|-------------|------------|----------------|----------------|----------|-------------------------|
| BLAS07      | 7W          | Φ60mm      | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLAS09      | 9W          | Φ60mm      | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLAS12      | 12W         | Φ65mm      | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |

# LED A BULB




| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material | 光效<br>lumens/W | 显色<br>Ra | 色温<br>Color temperature |
|-------------|-------------|------------|----------------|----------------|----------|-------------------------|
| BLA05       | 5W          | Φ50mm      | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLA07       | 7W          | Φ 60mm     | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLA09       | 9W          | Φ 60mm     | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLA12       | 12W         | Φ 65mm     | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLA15       | 15W         | Φ70mm      | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLA18       | 18W         | Φ80mm      | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLA25       | 23W         | Φ95mm      | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |

# LED EMERGENCY BULB



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material | 时长<br>Lighting Time | 显色<br>Ra | 色温<br>Color temperature |
|-------------|-------------|------------|----------------|---------------------|----------|-------------------------|
| BLAE09      | 9W          | Φ70mm      | 塑包铝PBT+AL+PC   | 3H                  | ≥80      | 3000K/4000K/6500K       |
| BLAE12      | 12W         | Φ80mm      | 塑包铝PBT+AL+PC   | 2-3H                | ≥80      | 3000K/4000K/6500K       |
| BLAEA07     | 7W          | Φ70mm      | 塑包铝PC+AL+PC    | 3-5H                | ≥80      | 3000K/4000K/6500K       |
| BLAEA09     | 9W          | Φ80mm      | 塑包铝PC+AL+PC    | 3-5H                | ≥80      | 3000K/4000K/6500K       |
| BLAEA12     | 12W         | Φ95mm      | 塑包铝PC+AL+PC    | 3-5H                | ≥80      | 3000K/4000K/6500K       |

# LED GU10 MR16 & MODULE



| 型号<br>Model   | 功率<br>Power | 尺寸<br>Size | 材质<br>Material | 光效<br>lumens/W | 显色<br>Ra | 色温<br>Color temperature |
|---------------|-------------|------------|----------------|----------------|----------|-------------------------|
| BLGU03        | 3W          | Φ50*55mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLGU05        | 5W          | Φ50*55mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLGU06        | 6W          | Φ50*55mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLGU07        | 7W          | Φ50*55mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLGU08        | 8W          | Φ50*55mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLGU09        | 9W          | Φ50*63mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLMR05        | 5W          | Φ50*52mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLMR07        | 7W          | Φ50*52mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLGU07 module | 7W          | Φ50*23mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLGU07 module | 7W          | Φ50*23mm   | 陶瓷Ceramic+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |

# LED CANDEL BULB&GLOBE BULB



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material | 光效<br>lumens/W | 显色<br>Ra | 色温<br>Color temperature |
|-------------|-------------|------------|----------------|----------------|----------|-------------------------|
| BLC05       | 5W          | Φ37*100mm  | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLC06       | 6W          | Φ37*100mm  | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLC07       | 7W          | Φ37*100mm  | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLC08       | 8W          | Φ37*106mm  | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLCL07      | 7W          | Φ37*125mm  | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLP05       | 5W          | Φ45*80mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLP06       | 6W          | Φ45*80mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLP07       | 7W          | Φ45*80mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLP08       | 8W          | Φ45*88mm   | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |

# LED STICK BULB



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material     | 光效<br>lumens/W | 显色<br>Ra | 色温<br>Color temperature |
|-------------|-------------|------------|--------------------|----------------|----------|-------------------------|
| BLST07      | 7W          | Φ80mm      | 塑包铝PBT/PA+AL+PP/PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLST09      | 9W          | Φ100mm     | 塑包铝PBT/PA+AL+PP/PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLST12      | 12W         | Φ115mm     | 塑包铝PBT/PA+AL+PP/PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLST15      | 15W         | Φ125mm     | 塑包铝PBT/PA+AL+PP/PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |

# LED PLASTIC T BULB



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material     | 光效<br>lumens/W | 显色<br>Ra | 色温<br>Color temperature |
|-------------|-------------|------------|--------------------|----------------|----------|-------------------------|
| BLT20       | 20W         | Φ80mm      | 塑包铝PBT/PP+AL+PP/PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLT30       | 30W         | Φ100mm     | 塑包铝PBT/PP+AL+PP/PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLT40       | 40W         | Φ115mm     | 塑包铝PBT/PP+AL+PP/PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLT50       | 50W         | Φ125mm     | 塑包铝PBT/PP+AL+PP/PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLT60       | 60W         | Φ135mm     | 塑包铝PBT/PP+AL+PP/PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |

# LED DIECASTING ALUMINUM T BULB




| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material | 光效<br>lumens/W | 显色<br>Ra | 色温<br>Color temperature |
|-------------|-------------|------------|----------------|----------------|----------|-------------------------|
| BLDT20      | 20W         | Φ80mm      | 压铸铝AL+PC       | 90-100LM/W     | ≥80      | 6500K                   |
| BLDT30      | 30W         | Φ100mm     | 压铸铝AL+PC       | 90-100LM/W     | ≥80      | 6500K                   |
| BLDT40      | 40W         | Φ115mm     | 压铸铝AL+PC       | 90-100LM/W     | ≥80      | 6500K                   |
| BLDT50      | 50W         | Φ125mm     | 压铸铝AL+PC       | 90-100LM/W     | ≥80      | 6500K                   |
| BLDT60      | 60W         | Φ135mm     | 压铸铝AL+PC       | 90-100LM/W     | ≥80      | 6500K                   |
| BLDT80      | 80W         | Φ150mm     | 压铸铝AL+PC       | 90-100LM/W     | ≥80      | 6500K                   |
| BLDT100     | 100W        | Φ140mm     | 压铸铝AL+PC       | 90-100LM/W     | ≥80      | 6500K                   |
| BLDT120     | 120W        | Φ160mm     | 压铸铝AL+PC       | 90-100LM/W     | ≥80      | 6500K                   |
| BLDT150     | 150W        | Φ160mm     | 压铸铝AL+PC       | 90-100LM/W     | ≥80      | 6500K                   |

# LED ALUMINUM T BULB



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size  | 材质<br>Material | 光效<br>lumens/W | 显色<br>Ra | 色温<br>Color temperature |
|-------------|-------------|-------------|----------------|----------------|----------|-------------------------|
| BLHT20      | 30W         | Φ110*210mm  | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 6500K                   |
| BLHT50      | 50W         | Φ130*230mm  | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 6500K                   |
| BLHT80      | 80W         | Φ150*260mm  | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 6500K                   |
| BLHT100     | 100W        | Φ 170*290mm | 塑包铝PBT+AL+PC   | 80-90LM/W      | ≥80      | 6500K                   |

# LED PAR BULB



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material | 光效<br>lumens/W | 显色<br>Ra | 色温<br>Color temperature |
|-------------|-------------|------------|----------------|----------------|----------|-------------------------|
| BLPAR08     | 7W          | ΦT86*64mm  | 塑包铝PA+AL+PC    | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLPAR12     | 12W         | Φ95*115mm  | 塑包铝PA+AL+PC    | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| BLPAR15     | 15W         | Φ120*135mm | 塑包铝PA+AL+PC    | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |

# LED UFO BULB



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material | 光效<br>lumens/W | 显色<br>Ra | 色温<br>Color temperature |
|-------------|-------------|------------|----------------|----------------|----------|-------------------------|
| UFO30       | 40W         | Φ130*135mm | 铝材 ALUMINUM+PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| UFO50       | 50W         | Φ150*155mm | 铝材 ALUMINUM+PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |
| UFO60       | 60W         | Φ170*175mm | 铝材 ALUMINUM+PC | 80-90LM/W      | ≥80      | 3000K/4000K/6500K       |

# LED FILAMENT



| 型号<br>Model | 功率<br>Power  | 尺寸<br>Size | 材质<br>Material | 光效<br>lumens/W | 显色<br>Ra | 色温<br>Color temperature |
|-------------|--------------|------------|----------------|----------------|----------|-------------------------|
| FC35        | 2W/4W/6W     | Φ35*100mm  | GLASS          | 90-100LM/W     | ≥80      | 2700K/4000K/6500K       |
| FCL35       | 2W/4W/6W     | Φ35*125mm  | GLASS          | 90-100LM/W     | ≥80      | 2700K/4000K/6500K       |
| FG45        | 2W/4W/6W     | Φ35*76mm   | GLASS          | 90-100LM/W     | ≥80      | 2700K/4000K/6500K       |
| FA60        | 4W/6W/8W/10W | Φ60*105mm  | GLASS          | 90-100LM/W     | ≥80      | 2700K/4000K/6500K       |
| FST64       | 4W/6W/8W/10W | Φ64*143mm  | GLASS          | 90-100LM/W     | ≥80      | 2700K/4000K/6500K       |
| FG80        | 4W/6W/8W/10W | Φ80*125mm  | GLASS          | 90-100LM/W     | ≥80      | 2700K/4000K/6500K       |
| FG95        | 4W/6W/8W/10W | Φ95*128mm  | GLASS          | 90-100LM/W     | ≥80      | 2700K/4000K/6500K       |
| FG125       | 4W/6W/8W/10W | Φ125*172mm | GLASS          | 90-100LM/W     | ≥80      | 2700K/4000K/6500K       |

# LED SLIM PANEL LIGHT




| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 开孔尺寸<br>Cut size | 材质<br>Material | 流明<br>Luminous lumens | 显色<br>Ra | 色温<br>Color temperature  |
|-------------|-------------|------------|------------------|----------------|-----------------------|----------|--------------------------|
| PANR03-A    | 3W          | Φ82mm      | Φ70mm            | 铝材ALUMINUM+PS  | 50-60LM/W             | ≥70      | 3000K/4000K/6500K/10000K |
| PANR06-A    | 6W          | Φ115mm     | Φ105mm           | 铝材ALUMINUM+PS  | 60-70LM/W             | ≥70      | 3000K/4000K/6500K/10000K |
| PANR09-A    | 9W          | Φ140mm     | Φ130mm           | 铝材ALUMINUM+PS  | 70-80LM/W             | ≥70      | 3000K/4000K/6500K/10000K |
| PANR12-A    | 12W         | Φ165mm     | Φ155mm           | 铝材ALUMINUM+PS  | 80-90LM/W             | ≥70      | 3000K/4000K/6500K/10000K |
| PANR18-A    | 18W         | Φ220mm     | Φ205mm           | 铝材ALUMINUM+PS  | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANR24-A    | 24W         | Φ295mm     | Φ285mm           | 铝材ALUMINUM+PS  | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |

# LED SURFACE PANEL LIGHT



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material | 流明<br>Luminous lumens | 显色<br>Ra | 色温<br>Color temperature  |
|-------------|-------------|------------|----------------|-----------------------|----------|--------------------------|
| PANS06-A    | 6W          | Φ120mm     | 铝材ALUMINUM+PS  | 50-60LM/W             | ≥70      | 3000K/4000K/6500K/10000K |
| PANS12-A    | 12W         | Φ170mm     | 铝材ALUMINUM+PS  | 60-70LM/W             | ≥70      | 3000K/4000K/6500K/10000K |
| PANS18-A    | 18W         | Φ220mm     | 铝材ALUMINUM+PS  | 70-80LM/W             | ≥70      | 3000K/4000K/6500K/10000K |
| PANS24-A    | 24W         | Φ300mm     | 铝材ALUMINUM+PS  | 80-90LM/W             | ≥70      | 3000K/4000K/6500K/10000K |

# LED PANEL LIGHT



3 CCT OPTIONS



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 开孔尺寸<br>Cut size | 材质<br>Material  | 流明<br>Luminous lumens | 显色<br>Ra | 色温<br>Color temperature  |
|-------------|-------------|------------|------------------|-----------------|-----------------------|----------|--------------------------|
| PANR09      | 9W          | Φ85mm      | Φ 50-70mm        | 铝/铁 ALU/IRON+PP | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANR18      | 18W         | Φ 120mm    | Φ 50-100mm       | 铝/铁 ALU/IRON+PP | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANR24      | 24W         | Φ 170mm    | Φ 50-150mm       | 铝/铁 ALU/IRON+PP | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANR36      | 36W         | Φ 220mm    | Φ 50-200mm       | 铝/铁 ALU/IRON+PP | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANR48      | 48W         | Φ300mm     | Φ 50-220mm       | 铁 IRON+PP       | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |

# LED PANEL LIGHT



## 3 CCT OPTIONS



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 开孔尺寸<br>Cut size | 材质<br>Material  | 流明<br>Luminous lumens | 显色<br>Ra | 色温<br>Color temperature  |
|-------------|-------------|------------|------------------|-----------------|-----------------------|----------|--------------------------|
| PANS18      | 18W         | Φ120mm     | Φ 50-100mm       | 铝/铁 ALU/IRON+PP | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANS24      | 24W         | Φ170mm     | Φ 50-150mm       | 铝/铁 ALU/IRON+PP | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANS36      | 36W         | Φ220mm     | Φ 50-200mm       | 铝/铁 ALU/IRON+PP | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANS48      | 48W         | Φ300mm     | Φ 50-220mm       | 铝/铁 ALU/IRON+PP | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |

# LED PANEL LIGHT



## 3 CCT OPTIONS

| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 开孔尺寸<br>Cut size | 材质<br>Material  | 流明<br>Luminous lumens | 显色<br>Ra | 色温<br>Color temperature  |
|-------------|-------------|------------|------------------|-----------------|-----------------------|----------|--------------------------|
| PANR10-C    | 10W         | Φ85mm      | Φ50-70mm         | 铝/铁 ALU/IRON+PC | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANR18-C    | 18W         | Φ120mm     | Φ50-100mm        | 铝/铁 ALU/IRON+PC | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANR24-C    | 24W         | Φ170mm     | Φ50-150mm        | 铝/铁 ALU/IRON+PC | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANR36-C    | 36W         | Φ220mm     | Φ50-200mm        | 铝/铁 ALU/IRON+PC | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |

# LED PANEL LIGHT




## 3 CCT OPTIONS

| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material  | 流明<br>Luminous lumens | 显色<br>Ra | 色温<br>Color temperature  |
|-------------|-------------|------------|-----------------|-----------------------|----------|--------------------------|
| PANS18-C    | 18W         | Φ 120mm    | 铝/铁 ALU/IRON+PC | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANS24-C    | 24W         | Φ 170mm    | 铝/铁 ALU/IRON+PC | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |
| PANS36-C    | 36W         | Φ220mm     | 铝/铁 ALU/IRON+PC | 90-100LM/W            | ≥70      | 3000K/4000K/6500K/10000K |



# LED PANEL LIGHT



## 3 SWITCH OPTIONS



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material     | 流明<br>Luminous lumens | 显色<br>Ra | 色温<br>Color temperature  |
|-------------|-------------|------------|--------------------|-----------------------|----------|--------------------------|
| PANS24-D    | 24W         | Φ170mm     | 铝/铁材ALU/IRON+PS+PP | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |
| PANS36-D    | 36W         | Φ225mm     | 铝/铁材ALU/IRON+PS+PP | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |
| PANS48-D    | 48W         | Φ292mm     | 铝/铁材ALU/IRON+PS+PP | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |

# LED PANEL LIGHT



| 型号       | 功率    | 尺寸     | 材质               | 流明              | 显色  | 色温                       |
|----------|-------|--------|------------------|-----------------|-----|--------------------------|
| Model    | Power | Size   | Material         | Luminous lumens | Ra  | Color temperature        |
| PANS18-E | 18W   | Φ120mm | IRON/ALUMINUM+PC | 90-100LM/W      | ≥80 | 3000K/4000K/6500K/10000K |
| PANS24-E | 24W   | Φ170mm | IRON/ALUMINUM+PC | 90-100LM/W      | ≥80 | 3000K/4000K/6500K/10000K |
| PANS36-E | 36W   | Φ225mm | IRON/ALUMINUM+PC | 90-100LM/W      | ≥80 | 3000K/4000K/6500K/10000K |

# LED PANEL LIGHT



## 4 SWITCH OPTIONS



Color for your choice



| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 开孔尺寸<br>Cut size | 材质<br>Material | 流明<br>Luminous lumens | 显色<br>Ra | 色温<br>Color temperature  |
|-------------|-------------|------------|------------------|----------------|-----------------------|----------|--------------------------|
| PANR18-F    | 18W         | Φ120mm     | Φ50-100mm        | 铝材ALUMINUM+PC  | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |
| PANR24-F    | 24W         | Φ170mm     | Φ50-150mm        | 铝材ALUMINUM+PC  | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |
| PANR36-F    | 36W         | Φ225mm     | Φ50-200mm        | 铝材ALUMINUM+PC  | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |
| PANS18-F    | 18W         | Φ120mm     | /                | 铝材ALUMINUM+PC  | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |
| PANS24-F    | 24W         | Φ170mm     | /                | 铝材ALUMINUM+PC  | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |
| PANS36-F    | 36W         | Φ225mm     | /                | 铝材ALUMINUM+PC  | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |

# LED SURFACE PANEL LIGHT




Color for your choice



## 3 SWITCH OPTIONS

| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material | 流明<br>Luminous lumens | 显色<br>Ra | 色温<br>Color temperature |
|-------------|-------------|------------|----------------|-----------------------|----------|-------------------------|
| PANS18-RGB  | 18+4W       | Φ218*25mm  | PC             | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/RGB   |
| PANS24-RGB  | 20+6W       | Φ300*25mm  | PC             | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/RGB   |
| PANS36-RGB  | 32+6W       | Φ380*25mm  | PC             | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/RGB   |

# LED SURFACE PANEL LIGHT



## 3 SWITCH OPTIONS

| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 材质<br>Material | 流明<br>Luminous lumens | 显色<br>Ra | 色温<br>Color temperature  |
|-------------|-------------|------------|----------------|-----------------------|----------|--------------------------|
| PANS12-R    | 8W/10W/12W  | Φ180*17mm  | PC             | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |
| PANS18-R    | 12W/15W/18W | Φ218*17mm  | PC             | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |
| PANS24-R    | 18W/20W/24W | Φ300*17mm  | PC             | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |
| PANS32-R    | 24W/28W/32W | Φ380*17mm  | PC             | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |
| PANS40-R    | 32W/36W/40W | Φ480*17mm  | PC             | 90-100LM/W            | ≥80      | 3000K/4000K/6500K/10000K |

# LED Ambience Downlight




## THREE SPEED ADJUSTMENT

Two shades Three gear adjustments  
can be switched at will

| 型号<br>Model | 功率<br>Power | 尺寸<br>Size | 开孔尺寸<br>Cat size | 材质<br>Material | 流明<br>Luminous lumens | 显色<br>Ra | 色温<br>Color temperature                         |
|-------------|-------------|------------|------------------|----------------|-----------------------|----------|-------------------------------------------------|
| DW01        | 8+8W        | Φ86xH48mm  | Φ75mm            | ALUMINUM       | 80-90LM/W             | ≥80      | White+(Red/Pink/Blue/Green/Yellow/Warm/RGB/PGB) |
| DW02        | 8+8W        | Φ90xH48mm  | Φ75mm            | ALUMINUM       | 80-90LM/W             | ≥80      | White+(Red/Pink/Blue/Green/Yellow/Warm/RGB/PGB) |
| DW03        | 8+8W        | Φ108xH48mm | Φ75mm            | ALUMINUM       | 80-90LM/W             | ≥80      | White+(Red/Pink/Blue/Green/Yellow/Warm/RGB/PGB) |
| DW04        | 8+8W        | Φ120xH48mm | Φ75mm            | ALUMINUM       | 80-90LM/W             | ≥80      | White+(Red/Pink/Blue/Green/Yellow/Warm/RGB/PGB) |

# LED DOUBLE COLOR PANEL LIGHT



**POWER:**

**3+3W**

**6+3W**

**12+4W**

**18+6W**